LODES

A-Tube Nano, *design by* Studio Italia Design, 2016


Suspension

A–Tube Nano is a suspension light which interprets light in its simplest form by creating a thin luminous line in the living spaces. At the lower end of the lightweight aluminium structure, a transparent methacrylate diffuser houses an LED module whose light creates a soft, welcoming atmosphere. The three sizes and six statement finishes allow to create clusters of evocative lighting.



A-Tube Nano Small	Light source	Frame Aluminium	Diffuser: Methacrylate	Code
Max 470 cm Max 185.03" 30 cm 11.81" ○ 1 Ø 2 cm Ø 0.78"	LED	Matte White 9010	Clear	158016
		Chrome	Clear	158018
		Gold	Clear	158020
		Rose Gold	Clear	158019
		Matte Black 9005	Clear	158017
		Matte Champagne	Clear	158051
	LED • 3000 K • 1 × 3 W 480lm • 350mA	() Gold	Clear	158039
		Rose Gold	Clear	158040
		() Chrome	Clear	158037
	CRI 90MacAdam 3-Step	Matte Black 9005	Clear	158038
	LED and driver included	Matte White 9010	Clear	158036
		Matte Champagne	Clear	158054
Net weight: 0.25 kg Gross weight:	1.05 kg Parcels: N°2 Volume: 0.	.006 m³ (€ IP	40 [fil Energy Saving (\$)	Dim Triac 🕲


LODES



A–Tube Nano Large	Light source	Frame Aluminium	Diffuser: Methacrylate	Code
Max 410 cm Max 161.41* 90 cm 35.43* 0 1 Ø 2 cm	LED	Matte White 9010	Clear	158026
	• 2700 K	() Chrome	Clear	158028
	1 × 3W 450 lm350mA	Gold	Clear	158030
	CRI 90MacAdam 3-Step	Rose Gold	Clear	158029
	LED and driver included	Matte Black 9005	Clear	158027
		Matte Champagne	Clear	158053
	LED • 3000 K	Gold	Clear	158050
		Rose Gold	Clear	158049
	1 x 3W 480 lm350mA	() Chrome	Clear	158048
	CRI 90MacAdam 3-Step	Matte Black 9005	Clear	158047
	LED and driver included	Matte White	Clear	158046
		Matte Champagne	Clear	158056
Net weight: 0.59 kg Gross weight: 1.	29 kg Parcels: N°2 Volume: 0.0	07 m³ (€ IP4	0 [fil Energy Saving (\$	Dim Triac @

Polar diagram

A-Tube Nano Small



LED

- 3000 K
- 1 × 3W | 480 lm
- 350mA
- CRI 90
- MacAdam 3-Step


LED and driver included

- LED 2700 K
- 1 × 3W | 450 lm
- 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included

Polar diagram

A-Tube Nano Medium



- LED 3000 K
- 1 × 3W | 480 lm
- 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included


LED

- 2700 K
- 1 x 3W | 450 lm
- 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included

Polar diagram

A-Tube Nano Large



- LED 3000 K 1 × 3W | 480 Im 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included

- LED
 2700 K
 1 × 3W | 450 lm
 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included