

# CLARO

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

## CLARO

Available in two different dimensions, Claro introduces itself with a fun-loving style, perfect to liven up the office or the home. Hanging luminaire with a turned case made of epoxy powder coated finish aluminum stabilized with UV rays, it is equipped with a Chip On Board technology high efficiency LED light source. Driver, cables for suspension in galvanized steel with a 1.2 mm diameter, 500 cm of three wire electrical cable 3x1 mm<sup>2</sup> and ceiling attachment in painted steel included. Possibility to personalize the product by choosing among the different available reflectors. Dimmable version available on request. The de-gree of protection against the penetration of dust, solid objects and liquids is IP40.

**LEDOLOGY**<sup>®</sup>

WWW.LEDOLOGY.COM

A **Luminart**<sup>®</sup> BRAND

# CLARO

SUSPENSION

TYPE:

PROJECT NAME:



## CLARO LED SMALL

code	W	Lm (3000K)	lifetime	
<b>L25LD018PN...</b>	18	2615	75.000h	L80/B10
<b>L25LD032PN...</b>	32	4500	75.000h	L80/B10




/DIMM2 DALI

/DIMM3 0-10V

SPECIFICATION SHEET

SL	LED
AL	included
	-
TC	.30 per 3000K / .40 per 4000K
IP	40
CRI	>80 (CRI93 and CRI97 on request)
SDCM	3
EEL	A++
RG	1
08	Frosted white
22	Grey
A	shades not included



**LEDOLOGY**<sup>®</sup>

WWW.LEDOLOGY.COM

A **Luminart** BRAND


# CLARO

SUSPENSION

TYPE:

PROJECT NAME:

## CLARO SMALL SHADES

code		description
3002		Shade in transparent acrylic, $\phi$ 315 mm, h 180 mm ( $\phi$ 12.4", h 7.08")
2005		Shade in anodized aluminium, $\phi$ 325 mm, h 201 mm ( $\phi$ 12.79", h 7.91")
2005-VO		Shade in anodized aluminium with glass, $\phi$ 325 mm, h 201 mm ( $\phi$ 12.79", h 7.91")
2011		Shade acrylic-aluminium double diffusion, $\phi$ 325 mm, h 201 mm ( $\phi$ 12.79", h 7.91")
2011-VO		Shade acrylic-aluminium double diffusion with glass, $\phi$ 325 mm, h 201 mm ( $\phi$ 12.79", h 7.91")
2013		Shade acrylic- white aluminium double diffusion, $\phi$ 325 mm h 201 mm ( $\phi$ 12.79", h 7.91")
2013-VO		Shade acrylic- white aluminium double diffusion with glass, $\phi$ 325 mm, h 201 mm ( $\phi$ 12.79", h 7.91")

SPECIFICATION SHEET

# CLARO

SUSPENSION

TYPE:

PROJECT NAME:





## CLARO LED MEDIUM


code	W	Lm (3000K)	lifetime	
<b>L25LD037MN...*</b>	38	5160	60.000h	L80/B10
<b>L25LD056MN...</b>	55	8100	60.000h	L80/B10



/DIMM2 DALI  
/DIMM3 0-10V

SPECIFICATION SHEET

SL	 LED
AL	included
	-
TC	.30 per 3000K / .40 per 4000K
IP	40
CRI	>80 *(CRI93 and CRI97 on request)
SDCM	3
EEL	A++
RG	1
08	Frosted white
22	Grey
A	Shades not included



**LEDOLOGY**<sup>®</sup>

A **Luminart**<sup>®</sup> BRAND

WWW.LEDOLOGY.COM

# CLARO

SUSPENSION

**TYPE:**

**PROJECT NAME:**

---

## CLARO MEDIUM SHADES

---

code

description

**2003**



*Shade in anodized aluminium, ø 460 mm, h 291 mm (Ø18.11", h 11.45")*

**2003-VO**



*Shade in anodized aluminium with glass, ø 460 mm, h 291 mm (Ø18.11", h 11.45")*

**3001**



*Shade in transparent acrylic, ø 410 mm, h 273 mm (Ø16.14", h 10.75")*

---

SPECIFICATION SHEET